

Advantech Automation Panel

Modular Panel PCs Provide Exceptional Flexibility for Industry 4.0.

- Introduction
- Product Features
- Featured Products
- Selection Guide



ADVANTECH

Enabling an Intelligent Planet

www.advantech.com

Realizing Visualization to Enable Industry 4.0

With the arrival of Industry 4.0, and the resulting shift in market demands, a rapid time-to-market and customer responsiveness have become key concerns for the manufacturing industry. To address this need, Advantech created its TPC series of modular panel PC solutions based on three performance-segmented computing box modules – control panels (TPC-5000), industrial thin-clients (TPC-2000), and industrial monitors (FPM-7002). The modular design of the TPC series allows the computing box modules to be interchangeably combined with Advantech's panel modules to provide comprehensive platform solutions according to usage requirements.

This innovative modular design provides numerous advantages, including flexible configuration, rapid customization and deployment, reduced maintenance costs and system downtime, and cost-effective equipment upgrades for truly future-proof infrastructure.



Exceptional Flexibility

The panel modules (available in 5 sizes) can be interchangeably combined with box modules (3 types available) to provide up to 15 platform solutions that can be adapted for diverse applications.

Rapid Customization

TPC platforms can be rapidly customized and configured according to specific usage requirements without the need for reverification and recertification, drastically reducing the hardware and software integration time.

Easy Maintenance

For system maintenance, defective modules can be detached and replaced on site, without needing to unmount the entire platform, thereby minimizing maintenance efforts and costs.

Forward Compatibility

To upgrade or expand the TPC platforms, existing modules can be simply detached and replaced with a new advanced module, extending the overall product lifecycle.



Control Panel

TPC-5000 series

- 6th generation Intel® Celeron® 3955U/Core™i3-6100U/ Core™ i5-6300U/ Core™i7-6600U processor with 4/8 GB DDR4
- iDOOR, PCIe, removable SSD, and M.2 for flexible expansion
- TPM2.0, 3 x GbE, and isolated power design for control software compatibility
- IEC 61010-2 and IEC 60950-2 certified

Industrial Thin Client

TPC-2000 series

- Intel® Celeron® J3455/Atom™ E3940 processor with 4 GB DDR3L
- Compact, universal design with low power consumption
- Industrial-grade, wide operating temperature range (-20 ~ 60 °C/-4 ~ 140 °F)
- PXE boot-ready to facilitate centralized management of multiple devices
- Supports M.2 storage and an optional iDOOR communication module

Innovative User-Friendly Design



Modular Design

The panel and box modules are docked by a board-to-board connector that can be easily integrated into various platform configurations.



IP66-Rated True-Flat Screen

In addition to IP66 certification for dust and water resistance, the platforms are equipped with a true-flat screen with P-CAP/resistive touch control.




Wide Input Power Range (24 V_{DC} ± 20%)

Support for a wide input power range of 24 V_{DC} ± 20% ensures the systems can be operated in unstable power environments.



Wi-Fi/NFC Communication Technology

The Wi-Fi/NFC antenna built into the front panel offers direct wireless communication without additional wiring, facilitating easy implementation.



Long-Distance Display

With Advantech's iLink technology, the system can support long-distance (up to 100 m) video transmissions to either a single client or multiple clients.



Rapid Logo Customization

The TPC platforms can be customized with predefined features or corporate logos upon request to align with customers' existing branding.



Supports iDoor Technology

With Advantech's iDoor technology, customers can integrate peripherals and expand the system functions via the diverse I/O.




Intelligent Keys

With the inclusion of intelligent keys, Advantech's TPCs provide an intuitive GUI that saves time by simplifying operations.



IEC 61010 Certified

The achievement of IEC 61010 certification verifies the system's robustness and safety to ensure unrivaled reliability for control and monitoring applications.



Supports Dual Displays

The provision of picture-in-picture technology allows for simultaneous dual displays and dual input control, enabling easy monitoring and reduced KVM costs.

Industrial Monitor

FPM-7002 series

- Supports both 4:3 and 16:9 display ratios
- Supports dual displays and control with picture-in-picture functionality
- Module-in-Module design with customizable I/O
- iLINK technology enables long-distance (up to 100 m) one-to-one/one-to-many (up to 4) data transmissions

Selection Guide

Configurable Systems

Panel Modules



P/N	FPM-D12T-AE	FPM-D15T-AE	FPM-D17T-AE	FPM-D18.5T-AE	FPM-D21W-AE
Panel Size	12"	15"	17"	18.5"	21.5"
Resolution	1024 x 768	1024 x 768	1280 x 1024	1366 x 768	1920 x 1080
Touch Type	5-wire resistive touch	Projected capacitive touch	Projected capacitive touch	Projected capacitive touch	Projected capacitive touch
Wi-Fi Antenna	No	Yes	Yes	Yes	Yes
NFC Reader	No	Optional	Optional	Optional	Optional
IP Rating	IP66-rated front panel				

Box Computing Modules



Part Number	TPC-B200-E12AE	TPC-B200-E15AE	TPC-B500-6C2AE	TPC-B500-633AE	TPC-B500-633AE	TPC-B500-633AE
CPU	Intel® Atom® 1.60 GHz	Intel® Celeron® J3455 1.50 GHz	Intel® Celeron® 3955U 2.00 GHz	Intel® Core™ i3-6100U 2.30 GHz	Intel® Core™ i5-6300U 2.40 GHz	Intel® Core™ i7-6600U 2.60 GHz
Memory	4G DDR3L		4G DDR4	8G DDR4		
I/O	2 x RS-232/422/485, 2 x USB 3.0, 2 x USB 2.0, 2 x GbE, 1 x Line Out, 1 x DP		1 x Half-size PCIe, 2 x full-size mini PCIe			
Expansion	1 x Full-size mini PCIe		1 x Half-size PCIe, 2 x full-size mini PCIe			
Power Input	24 V _{oc} ± 20%		24 V _{oc} ± 20%			
Operating System	Microsoft® Windows 10 IoT Enterprise LTSB		Microsoft® Windows WES7 (32/64 bit)/Windows 7 (32/64 bit)/Ubuntu 16.04/ Windows 10 IoT Enterprise LTSB			
Mount Options	Panel, stand, and VESA mount (with optional mounting kit)					

Monitor Box Module



Part Number	FPM-B700-AE
Video Interface	HDMI (FPM-M700-HDAE), DP (FPM-M700-DPAE), iLink (FPM-M700-RXAE and FPM-M700-TRAЕ)
Power Input	24 V _{oc} ± 20%
Mount Options	Panel, stand, and VESA mount
iLINK Technology	Supported

Pre-Configured Systems



	TPC-2000 Series			TPC-5000 Series			FPM-7000 Series
TPC-2121T-J12AE	TPC-2151T-J12AE	TPC-2181W-J12AE	TPC-5152T-633AE	TPC-5172T-633AE	TPC-5212W-633AE	FPM-7212W-PHAE	
12.1" XGA LCD touch panel with Intel® Celeron® J3455 quad-core processor and 4 GB RAM	15" XGA LCD touch panel with Intel® Celeron® J3455 quad-core processor and 4 GB RAM	18.5" HD LCD touch panel with Intel® Celeron® J3455 quad-core processor and 4 GB RAM	15" XGA touch panel with Intel® Core™ i3-6100U dual-core processor and 8 GB RAM	17" SXGA touch panel with Intel® Core™ i3-6100U dual-core processor and 8 GB RAM	21.5" FHD touch panel with Intel® Core™ i3-6100U dual-core processor and 8 GB RAM	21.5" FHD touch panel with PCAP touch control, 1 x HDMI, and 1 x extension slot	

Regional Service & Customization Centers

China Kunshan
86-512-5777-5666

Taiwan Taipei
886-2-2792-7818

Netherlands Eindhoven
31-40-267-7000

Poland Warsaw
00800-2426-8080

USA Milpitas, CA
1-408-519-3898

Worldwide Offices

Greater China

China
Toll Free 800-810-0345
Beijing 86-10-6298-4346
Shanghai 86-21-3632-1616
Shenzhen 86-755-8212-4222
Chengdu 86-28-8545-0198
Hong Kong 852-2720-5118

Taiwan
Toll Free 0800-777-111
Taipei & IoT Campus 886-2-2792-7818
Taichung 886-4-2329-0371
Kaohsiung 886-7-229-3600

Middle East and Africa

Israel 072-2410527

Asia

Japan
Toll Free 0800-500-1055
Tokyo 81-3-6802-1021
Osaka 81-6-6267-1887
Nagoya 81-0800-500-1055

Korea
Toll Free 080-363-9494
Seoul 82-2-3663-9494

Singapore
Singapore 65-6442-1000

Malaysia
Kuala Lumpur 60-3-7725-4188
Penang 60-4-537-9188

Thailand
Bangkok 66-02-2488306-9

India
Bangalore 91-80-2545-0206
Pune 91-94-2260-2349

Indonesia
Jakarta 62-21-751-1939

Australia
Toll Free 1300-308-531
Melbourne 61-3-9797-0100

Europe

Germany
Toll Free 00800-2426-8080/81
Munich 49-89-12599-0
Düsseldorf 49-2103-97-855-0

France
Paris 33-1-4119-4666

Italy
Milano 39-02-9544-961

Benelux & Nordics
Breda 31-76-523-3100

UK
Newcastle 44-0-191-262-4844
London 44-0-870-493-1433

Poland
Warsaw 48-22-31-51-100

Russia
Moscow 8-800-555-01-50
St. Petersburg 8-800-555-81-20

Czech Republic
Ústí nad Orlicí 420-465-521-020

Ireland
Oranmore 353-91-792444

Americas

North America
Toll Free 1-888-576-9668
Cincinnati 1-513-742-8895
Milpitas 1-408-519-3898
Irvine 1-949-420-2500
Ottawa 1-815-434-8731

Brazil
Toll Free 0800-770-5355
São Paulo 55-11-5592-5355

Mexico
Toll Free 1-800-467-2415
Mexico City 52-55-6275-2727

ADVANTECH

Enabling an Intelligent Planet

<http://www.advantech.com>

Please verify specifications before quoting. This guide is intended for reference purposes only. All product specifications are subject to change without notice.

No part of this publication may be reproduced in any form or by any means, electronic, photocopying, recording or otherwise, without prior written permission of the publisher.

All brand and product names are trademarks or registered trademarks of their respective companies. © Advantech Co., Ltd. 2018



Read More
8600000295