


SYSG7080 Digital Input Module 6 Port

Overview




Dimensions


Front Panel View




Right Panel View




Left Panel View



Top Panel View



Rear Panel View



Head Office

A: Yeşilce Mh. Doğa Sk. Kökten Plaza No:6 Kat:2 34418 Kağıthane - İstanbul
T: +90 212 275 73 22 F: +90 212 275 73 66
E: info@exagate.com


Support

support@exagate.com




Dimensions


Right Panel View



Top Panel View



Left Panel View



*CI: Configurable Input

Head Office


A: Yeşilce Mh. Doğa Sk. Kökten Plaza No:6 Kat:2 34418 Kağıthane - İstanbul
T: +90 212 275 73 22 F: +90 212 275 73 66
E: info@exagate.com

Support

support@exagate.com




SYSG7080 Assembly Walkthrough




STEP A

Mounting Type - 1





STEP B

Mounting Type - 2



STEP C



Head Office

A: Yeşilce Mh. Doğa Sk. Kökten Plaza No:6 Kat:2 34418 Kağıthane - İstanbul
 T: +90 212 275 73 22 F: +90 212 275 73 66
 E: info@exagate.com

Support

support@exagate.com



Operational Properties

Power Supply Voltage	4,5 - 12 VDC
Power Consumption	0,005 - 0,007 A typical 0,006 A 0,0525 - 0,10 W typical 0,072 W
Operational Temperature Range	-25 +70 °C
Operational Humidity Range	0 - 85 % Rh
Storage Temperature Range	-40 +85 °C
Storage Humidity Range	0 - 90 % Rh

Physical Properties

Dimensions (H x W x D)	56x44x25 mm 2.20x1.73x0.98 inch
Color	Black
Weight	60 (+/- 5%) grams

Technical Properties

Maximum Distance from Main Unit	200 m
External Device Input	YES – 6 Units
Power Over ExaBus Port	YES
Power Over External Device	NO
Supported External Devices	YES – Detectors and devices with dry contact output. (Smoke detector, Magnetic Contact, PIR Detector)
Supported Units	SYSG4001, SYSG7001, IP PDU

Head Office

A: Yeşilce Mh. Doğa Sk. Kökten Plaza No:6 Kat:2 34418 Kağıthane - İstanbul
T: +90 212 275 73 22 F: +90 212 275 73 66
E: info@exagate.com

Support

support@exagate.com



PRODUCT SKU #	BARCODE #	P/N	DESCRIPTION
SYSG7080	8697270	7270MO7080	Digital Input Module 6 Port

LIMITED PRODUCT WARRANTY

All Exagate products are covered with 2 years limited guarantee from the date of original purchase. (Warranty duration may change depending on your country) Your sales or delivery receipt, showing the date of purchase of product is your proof of purchase. Exagate is obliged to repair or replace the defective hardware (or any part of it's) with no charge to owner.

Conditions Void of Warranty

- Damages on unit, cable or screen.
- Defections due to electrical wiring and/or city network.
- Interference to unit by non-authorized staff.
- Any problems caused by act of nature.
- Misusage of unit stated by the user manual.
- Removal or destruction of serial number, warranty labels.
- Any kind of modifications on unit.

Head Office

A: Yeşilce Mh. Doğa Sk. Kökten Plaza No:6 Kat:2 34418 Kağıthane - İstanbul
T: +90 212 275 73 22 F: +90 212 275 73 66
E: info@exagate.com

Support

support@exagate.com

